



TAPIS BLUR

BLUR RUGS

Les tapis sont réalisés selon un procédé unique de coloration écologique à base d'eau poil par poil après tuftage.

Ceci permet du détail qualité photo, une grande liberté de personnalisation et un nombre illimité de couleurs. Si vous ne trouvez pas exactement la dimension et les couleurs que vous souhaitez, n'hésitez pas à nous contacter pour un modèle selon vos envies, nous réalisons à la demande votre design sans minimum de commande.

These carpets are made using a unique process of ecological water based dyeing, hair by hair after tufting.

This allows photo detail quality, huge freedom of customization and unlimited colors. If you don't find the exact size and color of your dreams, do not hesitate to contact us for a model according to your desires, we realize your design on demand without minimum order.



Fabrication européenne.

Ils sont garantis pour des lieux de grand passage comme des hôtels, restaurants, bureaux, etc... et résistants aux frottements et aux UV.

Si vous souhaitez habiller toute une pièce, les tapis sont également disponibles en rouleaux, contactez-nous pour un devis.

L'épaisseur est de 13mm pour un grand confort. Le revers est en feutre.

Convient au chauffage par le sol.

L'entretien se fait simplement avec l'aspirateur. En cas de tache, utiliser n'importe quel shampoing pour tapis ou moquette.

Pour un nettoyage en profondeur, nous vous conseillons d'utiliser une centrale vapeur.

En raison du procédé de fabrication, les dimensions peuvent varier de 2%, et le rendu des couleurs peut être légèrement différent que sur votre écran d'ordinateur.

European production.

They are guaranteed for high-traffic areas such as hotels, restaurants, offices, etc ... and resistant to UV and rubbing.

If you want to fill a room, the rugs are also available in rolls, contact us for a quote. The backing is in felt.

Suitable for underfloor heating.

Cleaning is done simply with the vacuum. If stain, use any rugs or carpeting shampoo.

For a deep cleaning, we advise to use a steam vacuum.

Due to the carpet manufacturing process, be aware that the sizes may vary up to 2%, and

the color rendering can come slightly different than on your computer screen.

Dimensions standards / standard sizes :

134x200 cm / 52,7x78,7 inch


170x255 cm / 66,9x100,3 inch

200x300 cm / 78,7x118,1 inch

230x345 cm / 90,5x135,8 inch

266x400 cm / 104,7x157,8 inch

300x450 cm / 118,1x177,1 inch



CONSTRUCTION STRUCTURE STRUKTUR STRUCTUUR	Tufted 1/10" Shine-velours Tufté 1/10" Velours brillé Getuftet 1/10" Glanz-Velours Getuft 1/10" Glans velours	TUFT DENSITY NOMBRE DE TOUFFES NOPPENZAHL AANTAL PUNTEN	Ca. 2a10 000 /m2
PILE MATERIAL COUCHE D'USURE POLMATERIAL POOLMATERIAAL	Polyamide 6, Antron	CLASSIFICATION CLASSEMENT KLASSIFIKATION CLASSIFICATIE	/
PRIMARY BACKING DOSSIER PRIMAIRE TRÄGER-/GRUNDMATERIAL DRAAGDOEK	Polyester nonwoven	FIRE RESISTANCE COMPORTEMENT AU FEU BRENNVERHALTEN BRANDGEDRAG	EN 13501-1 Cfl-s1
SECONDARY BACKING DOSSIER SECONDAIRE RÜCKENAUSSTATTUNG RUGAFWERKING	Felt backing, 100% Polyester 550 g/m2	FASTNESS TO LIGHT SOLIDITÉ A LA LUMIÈRE LICHTECHTHEIT LICHTECHTHEID	EN ISO 105-B02 ;? 5
TOTAL WEIGHT POIDS TOTAL GESAMTGEWICHT TOTAAL GEWICHT	Ca. 2370 g/m2	RUBBING FASTNESS SOLIDITÉ AU FROTTEMENT REISECHTHEIT WRIJFECHTHEID	EN ISO 105-X12 ;? 4
PILE WEIGHT POIDS DU VELOURS POLEINSATZGEWICHT POOLGEWICHT	Ca. 1200 g/m2	COLOUR FASTNESS TO WATER SOLIDITÉ A L'EAU WASSERECHTHEIT WATERECHTHEID	EN ISO 105-E01 ;? 4
PILE ABOVE BACKING POIDS DE VELOURS UTILE POLNUTZSCHICHTGEWICHT NUTTIG POOLGEWICHT	Ca. 1170 g/m2		
TOTAL HEIGHT ÉPAISSEUR TOTALE GESAMTDICKE TOTALE DIKTE	Ca. 13 mm	THERMAL RESISTANCE RÉSISTANCE THERMIQUE WARMEDURCHLABWIDERSTAND WARMTEDOORLAATWEERSTAND	ISO 8302 Ca. 0,11 m2 k/W
PILE DENSITY DENSITE DU VELOURS POLROHDICHTE POOLDICHTHEID	/	SOUND ABSORPTION ABSORPTION PHONIQUE SCHALLABSORPTIONSGRAD GELUIDSABSORPTIE	EN ISO 10140 31d B
		SIZE DIMENSION ABMESSUNG AFMETINGEN	Unlimited
		NUMBER OF COLORS NOMBRE DE COLORIS ANZAHL DER FARBEN AANTAL KLEUREN	Unlimited

